| L<br>Number | Hits  | Search Text  | DB  | Time stamp          |
|-------------|-------|--|---|---------------------|
| -           | 1     | 6041342.pn.  | USPAT;<br>US-PGPUB;<br>IBM TDB            | 2004/10/18<br>09:43 |
| -           | 1     | 6044258.pn.  | USPAT;<br>US-PGPUB;<br>IBM TDB            | 2004/10/18<br>09:41 |
| _           | 1     | 5826185.pn.  | USPĀT;<br>US-PGPUB;                       | 2004/10/18<br>09:41 |
| -           | 1     | 5758137.pn.  | IBM_TDB<br>USPAT;<br>US-PGPUB;            | 2004/10/18<br>09:52 |
| _           | 168   | <pre>(auction\$4 or (sal\$4 near3 network))with (predetermin\$4 or predefin\$4 or prefixed or preselect\$4)near3 ((time or period or day\$1 or week\$1))</pre>       | IBM_TDB<br>USPAT;<br>US-PGPUB;<br>IBM_TDB | 2004/10/18<br>11:04 |
| _           | 4     |  | USPAT;<br>US-PGPUB;<br>IBM_TDB            | 2004/10/18<br>11:46 |
| -           | 3     | 1  | USPAT;<br>US-PGPUB;<br>IBM TDB            | 2004/10/18<br>10:05 |
| -           | 1858  | network\$4 near6 ((different or various)near3 (time or zone or area))  | USPAT;<br>US-PGPUB;<br>IBM TDB            | 2004/10/18<br>10:07 |
| -           | 0     | <pre>(network\$4 near6 ((different or<br/>various)near3 (time or zone or area)))<br/>and ((synchroniz\$6 near6 (client adj<br/>clock))with (server adj clock))</pre> | USPAT;<br>US-PGPUB;<br>IBM_TDB            | 2004/10/18 11:46    |
| -           | 7     | (synchroniz \$6 near6 (client adj<br>clock))with (server adj clock)  | USPAT;<br>US-PGPUB;<br>IBM TDB            | 2004/10/18<br>11:04 |
| -           | 31685 | 709/\$.ccls.   | USPAT;<br>US-PGPUB;<br>IBM TDB            | 2004/10/18<br>11:03 |
| -           | 530   | 709/\$.ccls. and (auction\$4 or (sal\$4 near3 network))  | USPAT;<br>US-PGPUB;<br>IBM TDB            | 2004/10/18<br>11:04 |
| -           | 1     | (709/\$.ccls. and ((auction\$4 or sal\$4) near3 network)) and (synchroniz\$6 near6 (client with (server adj clock)))   | USPAT;<br>US-PGPUB;<br>IBM TDB            | 2004/10/18<br>11:05 |
| _           | 1     |  | USPAT;<br>US-PGPUB;<br>IBM TDB            | 2004/10/18<br>11:05 |
| -           | 15    | ·  | USPAT;<br>US-PGPUB;<br>IBM_TDB            | 2004/10/18<br>11:12 |
| -           | 5     | l : ' ' ' ' : ' : ' : ' : ' : ' : ' : '  | USPAT;<br>US-PGPUB;<br>IBM TDB            | 2004/10/18<br>11:17 |
| -           | 140   | 709/\$.ccls. and ((auction\$4 or sal\$4) near3 network)  | USPAT;<br>US-PGPUB;<br>IBM TDB            | 2004/10/18<br>11:37 |
| -           | 4     | (709/\$.ccls. and ((auction\$4 or sal\$4) near3 network)) and ((client adj3 (tim\$4 or clock))same (server adj3 (clock or tim\$4)))                                  | USPAT;<br>US-PGPUB;<br>IBM_TDB            | 2004/10/18<br>11:46 |
| _           | 1     | l ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '  | USPAT;<br>US-PGPUB;<br>IBM_TDB            | 2004/10/18<br>11:39 |

|     |     |   | ,                    |                     |
|-----|-----|---|----------------------|---------------------|
| -   | 11  | 709/\$.ccls. and ((live or (real adj  | USPAT;               | 2004/10/18<br>11:45 |
|     |     | time))with ((auction\$4 or sal\$4) near6 network))                              | US-PGPUB;<br>IBM TDB | 11:45               |
|     | 92  | ((live or (real adj time))with  | USPAT;               | 2004/10/18          |
|     |     | ((auction\$4 or sal\$4) near6 network))   | US-PGPUB;            | 11:45               |
|     |     | (((000201171 02 00171) 1100110 110011011),                                      | IBM TDB              |                     |
| 1 - | 123 | ((live or (real adj time))with  | USPAT;               | 2004/10/18          |
|     |     | ((auction\$4 or sal\$4 or bid\$4) near6   | US-PGPUB;            | 11:46               |
|     |     | network))   | IBM TDB              |                     |
| -   | 0   | ( ((live or (real adj time)) with   | USPAT;               | 2004/10/18          |
|     |     | ((auction\$4 or sal\$4 or bid\$4) near6   | US-PGPUB;            | 11:47               |
| 1   |     | network))) and ((synchroniz\$6 near6  | IBM_TDB              |                     |
|     |     | (client adj clock)) with (server adj  |                      |                     |
|     |     | clock))   |                      | 0004/10/10          |
| -   | 0   | , , , = = · · · · · · · · · · · · · · ·   | USPAT;               | 2004/10/18<br>11:48 |
|     |     | ((auction\$4 or sal\$4 or bid\$4) near6<br>network))) and ((synchroniz\$6 near6 | US-PGPUB;            | 11:40               |
|     |     | (client adj clock))same (server adj   | IBM_TDB              |                     |
|     |     | (client adj clock) / same (server adj   clock))                                 |                      |                     |
| _   | 2   |   | USPAT;               | 2004/10/18          |
|     | 2   | ((auction\$4 or sal\$4 or bid\$4) near6   | US-PGPUB;            | 11:49               |
|     |     | network))) and ((client adj3 (tim\$4 or   | IBM TDB              |                     |
|     |     | clock))same (server adj3 (clock or  | _                    | 4                   |
|     |     | tim\$4)))   |                      |                     |
| -   | 9   | ( ((live or (real adj time))with  | USPAT;               | 2004/10/18          |
|     |     | ((auction\$4 or sal\$4 or bid\$4) near6   | US-PGPUB;            | 11:49               |
|     |     | network))) and ((dynamic\$5 or  | IBM_TDB              |                     |
|     |     | interact\$5)near6 (updat\$4 or  |                      | İ                   |
|     | _   | refersh\$4))  |                      | 0004/10/10          |
| -   | 7   |   | USPAT;               | 2004/10/18          |
|     |     | clock))same (server adj clock))   | US-PGPUB;            | 11:58               |
|     | ٠   | //armaharaiace manue /aliant adi  | IBM_TDB<br>EPO; JPO; | 2004/10/18          |
| _   | 3   | ((synchroniz\$6 near6 (client adj<br>  clock))same (server adj clock))          | DERWENT              | 11:58               |
| _   | 2   | (generat\$4 near3 (local near3 (server  | USPAT;               | 2004/10/18          |
| ] _ |     | adj clock)))same (client adj clock)   | US-PGPUB;            | 12:17               |
|     |     | day crock/// same (cricks day crock/  | EPO; JPO;            | 12.1.               |
|     |     |   | DERWENT;             |                     |
|     |     |   | IBM TDB              |                     |
| -   | 2   |   | USPAT;               | 2004/10/18          |
|     |     | adj clock)))same (client adj clock)   | US-PGPUB;            | 12:17               |
|     |     |   | EPO; JPO;            |                     |
|     |     |   | DERWENT;             |                     |
|     |     | //l 1   | IBM_TDB<br>USPAT;    | 2004/10/18          |
| -   | 2   | ((local near3 (server adj clock)))same  | US-PGPUB;            | 12:18               |
|     |     | (client adj clock)  | EPO; JPO;            | 12.10               |
|     |     |   | DERWENT;             |                     |
|     |     |   | IBM TDB              |                     |
| -   | 10  |   | USPAT;               | 2004/10/18          |
|     |     | adj clock))same (server adj clock)  | US-PGPUB;            | 12:29               |
|     |     |   | EPO; JPO;            |                     |
|     |     |   | DERWENT;             |                     |
|     |     | [   | IBM_TDB              |                     |
| -   | 4   | (   | USPAT;               | 2004/10/18          |
|     |     | same (server adj clock)   | US-PGPUB;            | 12:27               |
|     | ļ   |   | EPO; JPO;            |                     |
|     |     |   | DERWENT;<br>IBM TDB  |                     |
| _   | 15  | <br>  (display\$4 near4 (data or  | USPAT;               | 2004/10/18          |
|     | 15  | (displays hears (data of   informat\$5))with (local adj3 clock)                 | US-PGPUB;            | 14:46               |
|     |     | Intermeded / / with (intermediate)  | EPO; JPO;            |                     |
|     |     |   | DERWENT;             |                     |
|     | ĺ   |   | IBM TDB              |                     |
| -   | 19  | ((synchroniz\$6 or align\$4)near6 (client                                       | USPAT;               | 2004/10/18          |
|     |     | adj clock)) and (server adj clock)  | US-PGPUB;            | 12:42               |
|     |     |   | EPO; JPO;            |                     |
|     |     |   | DERWENT;             |                     |
|     | 1   |   | IBM_TDB              |                     |

| _ | 2   | ((local adj3 (server adj clock))near6<br>(generat\$4 or creat\$4 or produc\$6))same<br>(client adj clock)                 | USPAT;<br>US-PGPUB;<br>EPO; JPO;                                   | 2004/10/18<br>14:48 |
|---|-----|---|--|---------------------|
|   |     |   | DERWENT;<br>IBM_TDB  |                     |
| _ | 2   | <pre>((local adj3 (server adj clock))near6 (generat\$4 or creat\$4 or produc\$6))same ((local or client) adj clock)</pre> | USPAT;<br>US-PGPUB;<br>EPO; JPO;                                   | 2004/10/18          |
| _ | 2   | ((local adj3 (server adj clock))near6   | DERWENT;<br>IBM_TDB<br>USPAT;                                      | 2004/10/18          |
|   |     | (generat\$4 or creat\$4 or produc\$6))and ((local or client) adj clock)   | US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB                      | 14:49               |
| - | 2   | ((local adj3 (server adj clock))near6 (generat\$4 or creat\$4 or produc\$6))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;                       | 2004/10/18<br>14:50 |
| _ | 5   | ((local adj3 (server adj clock)))   | IBM_TDB<br>USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;            | 2004/10/18<br>14:53 |
| - | 2   | 6417801.pn.   | IBM_TDB<br>USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;            | 2004/10/18          |
| _ | 13  | <pre>((synchroniz\$8 or align\$4) near4 ((client or local)adj (time or clock)))with (server adj (time or clock))</pre>    | IBM_TDB<br>USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;            | 2004/10/18<br>15:56 |
| - | 262 | ((synchroniz\$8 or align\$4) near6<br>(trading or sel\$4 or auction\$4))with<br>network                                   | IBM_TDB<br>USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;            | 2004/10/18<br>16:06 |
| - | 69  | ((synchroniz\$8 or align\$4) near6<br>(trading or sel\$4 or auction\$4))with<br>server                                    | IBM_TDB<br>USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;            | 2004/10/18<br>16:06 |
| _ | 0   | (((synchroniz\$8 or align\$4) near6<br>(trading or sel\$4 or auction\$4))with<br>server) and (client adj clock)           | IBM_TDB<br>USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;            | 2004/10/18<br>15:58 |
| _ | 0   | (((synchroniz\$8 or align\$4) near6 (trading or sel\$4 or auction\$4))with server) and (local adj clock)                  | IBM_TDB<br>USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;            | 2004/10/18<br>15:58 |
| _ | 1   | (((synchroniz\$8 or align\$4) near6 (trading or sel\$4 or auction\$4))with network) and (server adj clock)                | IBM_TDB<br>USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;            | 2004/10/18<br>15:58 |
| _ | 18  | (((synchroniz\$8 or align\$4) near6 (trading or sel\$4 or auction\$4))with network) and (local adj clock)                 | IBM_TDB<br>USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;            | 2004/10/18<br>15:58 |
| - | 0   | ((synchroniz\$8 or align\$4) near6 (trading or sel\$4 or auction\$4))with (server adj (tim\$4 or clock))                  | IBM_TDB<br>USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2004/10/18          |

| -   | 4     | ((synchroniz\$8 or align\$4) near6        | USPAT;                                  | 2004/10/18   |
|-----|-------|---|---|--------------|
|     |       | (trading or sel\$4 or auction\$4))same    | US-PGPUB;                               | 16:07        |
|     |       | (server adj (tim\$4 or clock))            | EPO; JPO;                               |              |
|     |       |   | DERWENT;                                |              |
|     |       |   | IBM TDB                                 |              |
| l _ | 31722 | ((network or on\$line) near6 (trading or  | USPAT;                                  | 2004/10/18   |
| 1   | 31,22 | sel\$4 or auction\$4))                    | US-PGPUB;                               | 16:08        |
|     |       | Serva or adoction(4))                     | EPO; JPO;                               | 10.00        |
|     | 1     |   | DERWENT;                                |              |
|     |       |   |   |              |
|     |       |   | IBM_TDB                                 | 0004/10/10   |
| 1 - | 136   | (((network or on\$line) near6 (trading    | USPAT;                                  | 2004/10/18   |
|     |       | or sel\$4 or auction\$4))) and            | US-PGPUB;                               | 16:10        |
|     |       | ((synchroniz\$7 or align\$4)near6 ((local | EPO; JPO;                               |              |
|     |       | or client)adj2 (clock or tim\$4)))        | DERWENT;                                |              |
|     |       |   | IBM TDB                                 |              |
| -   | 18    | (((network or on\$line) near6 (trading    | USPAT;                                  | 2004/10/18   |
| ļ   |       | or sel\$4 or auction\$4))) and            | US-PGPUB;                               | 16:47        |
|     |       | (((synchroniz\$7 or align\$4)near6        | EPO; JPO;                               |              |
|     |       | ((local or client)adj2 (clock or          | DERWENT;                                |              |
|     |       | tim\$4)))same ((server or network)adj     | IBM TDB                                 |              |
|     |       |   | 1 |              |
|     | _     | (clock or tim\$4)))                       | HCD3m-                                  | 2004/10/10   |
| -   | 2     | 6412075.pn.                               | USPAT;                                  | 2004/10/18   |
|     | 1     |   | US-PGPUB;                               | 16:48        |
|     |       |   | EPO; JPO;                               |              |
|     |       |   | DERWENT;                                |              |
|     |       |   | IBM TDB                                 |              |
| _   | 2     | 6412076.pn.                               | USPAT;                                  | 2004/10/18   |
|     |       | •   | US-PGPUB;                               | 16:48        |
|     | 1     |   | EPO; JPO;                               |              |
|     |       |   | DERWENT;                                |              |
|     |       |   | IBM TDB                                 |              |
|     | 1.0   | ahau aan                                  |   | 2004/10/10   |
| _   | 10    | ebay.asn.                                 | USPAT;                                  | 2004/10/19   |
|     | i     |   | US-PGPUB;                               | 08:05        |
|     |       |   | IBM_TDB                                 |              |
| -   | 1     | 6134531.pn.                               | USPĀT;                                  | 2004/10/19   |
|     |       |   | US-PGPUB;                               | 08:07        |
|     |       |   | IBM TDB                                 |              |
| _   | l o   | ebay.asn. and synchronization             | USPAT;                                  | 2004/10/19   |
|     |       |   | US-PGPUB;                               | 08:04        |
|     |       |   | IBM TDB                                 | *****        |
|     | 0     | ebay.asn. and (display\$4 near6 clock)    | USPAT;                                  | 2004/10/19   |
|     | "     | ebay.asm. and (displayor heald clock)     | US-PGPUB;                               | 08:05        |
|     |       |   | IBM TDB                                 | 08:05        |
|     |       | 1 / 11 2 44 6 / 1                         | _                                       | 0004/10/10   |
| -   | 0     | ebay.asn. and (display\$4 near6 time)     | USPAT;                                  | 2004/10/19   |
|     |       |   | US-PGPUB;                               | 08:04        |
| İ   | ĺ     |   | IBM_TDB                                 | <u> </u>     |
| -   | 6     | amazon.asn.                               | USPAT;                                  | 2004/10/19   |
|     |       |   | US-PGPUB;                               | 08:05        |
|     |       |   | IBM TDB                                 | 1            |
| -   | 3     | amazone.asn.                              | USPĀT;                                  | 2004/10/19   |
|     |       |   | US-PGPUB;                               | 08:05        |
|     |       |   | IBM TDB                                 |              |
| _   | 52    | ebay.asn.                                 | USPAT;                                  | 2004/10/19   |
|     | 32    | Chay.asii.                                |   | 08:05        |
|     |       |   | US-PGPUB;                               | 00:05        |
|     |       |   | EPO; JPO;                               |              |
|     |       |   | DERWENT;                                |              |
|     |       | <u> </u>                                  | IBM_TDB                                 |              |
| -   | 1     | ebay.asn. and (display\$4 near6 (time or  | USPAT;                                  | 2004/10/19   |
|     |       | clock))                                   | US-PGPUB;                               | 08:06        |
| 1   |       |   | EPO; JPO;                               |              |
|     |       |   | DERWENT;                                |              |
|     |       |   | IBM TDB                                 |              |
| I - | l 0   | ebay.asn. and ((synchroniz\$7 or          | USPAT;                                  | 2004/10/19   |
|     |       | align\$4) near6 (time or clock))          | US-PGPUB;                               | 08:07        |
|     |       | allgriver, reals (sime of slock)          | EPO; JPO;                               | """          |
|     |       |   |   |              |
|     |       |   | DERWENT;                                |              |
|     | _     |   | IBM_TDB                                 | 0000 (10 (50 |
| -   | · 1   | 5528558.pn.                               | USPAT;                                  | 2004/10/19   |
|     |       |   | US-PGPUB;                               | 08:07        |
|     |       |   | IBM_TDB                                 |              |
|     |       | · · · · · · · · · · · · · · · · · · ·     |   |              |

| 4782483,pm.   30826705,  |              |        | <del> </del>                             | TICDAM.        | 2004/10/10 |
|--|--------------|--------|--|----------------|------------|
| TEM TDB  | _            | 1      | 4700403                                  | USPAT;         | 2004/10/19 |
| Color   Colo   |              |        | 4/82483.pn.                              |                | 08:21      |
| - 66 6134531.uref. US-PCPUB; INM TDB USPAT; US-PCPUB; EPO; JPO; DERWENT; INM TDB USPAT; US-PCPUB; EPO; JPO; JPO; DERWENT; INM TDB USPAT; US   |              |        | C124521                                  | _              | 2004/10/10 |
| TIM TOB  | -            | 6      | 6134531.urer.                            | -              | 1          |
| - 6839 morrison.inv 7 2 morrison.inv. and (synchroniz\$7 near6 (client adj2 (clock or time))) - 8 2 morrison.inv. and (synchroniz\$7 near6 (client adj2 (clock or time))) - 9 3 morrison.inv. and (synchroniz\$7 or align\$4)near6 (clock or time))) - 10 3 morrison.inv. and (synchroniz\$7 or align\$4)near6 (clock or time))) - 10 3 morrison.inv. and (synchroniz\$7 or align\$4)near6 (clock or time))) - 10 3 morrison.inv. and (server near6 (clock or time))) - 11 3 (morrison.inv. and (server near6 (clock or time))) - 12 3 (morrison.inv. and (server near6 (clock or time))) - 12 4 (clock or time)) - 13 (morrison.inv. and (server near6 (clock or time))) - 14 (clock or time)) - 15 ((data or information) near6 (clock or time))) - 16 ((data or information) near6 (clock or time))) - 17 ((data or information) near6 (clock or time)) - 18 ((data or information) near6 (clock or time)) - 18 ((data or information) near6 (clock or time)) - 18 ((data or information) near6 (clock or time)) - 18 ((data or information) near6 (clock))) - 18 ((data or information) near6 (clock)) - 18 ((data or information) near6 (clock)) - 19 ((synchroniz\$7 near6 (client adj (time or clock))) - 18 ((synchroniz\$7 near6 (client adj (time or clock))) - 19 (synchroniz\$7 near6 (client adj (time or clock))) - 10 (synchroniz\$7 near6 (client adj (time or clock))) - 10 (synchroniz\$7 near6 (client adj (time or clock))) - 11 11 11 11 11 11 11 11 11 11 11 11 11   |              |        |  | · ·            | 08:25      |
| - 6839 morrison.inv.  - 2 morrison.inv. and (synchroniz\$7 near6 (client adj2 (clock or time)))  - 3 morrison.inv. and (synchroniz\$7 or align\$4\near6 ((clock or time)))  - 3 morrison.inv. and (synchroniz\$7 or align\$4\near6 ((clock or time)))  - 23 morrison.inv. and (synchroniz\$7 or align\$4\near6 ((clock or time)))  - 3 (morrison.inv. and (synchroniz\$7 or align\$4\near6 ((clock or time)))  - 3 (morrison.inv. and (synchroniz\$7 or align\$4\near6 ((clock or time)))  - 4 (clock or time))  - 5 ((data or information) near6 (proces\$4 or transfer\$4 or clock)))  - 18 (((data or information) near6 (proces\$4 or transfer\$4 or transfer\$4 or transfer\$4 or transfer\$5 or clock))  - 18 (((data or information) near6 (proces\$4 or transfer\$4 or transfer\$4 or transfer\$5 or clock)))  - 2004/10/19  - 2004/10/19  08:26  2004/10/19  08:29  2004/10/   |              | _      |  |                | 2004/20/20 |
| - 6839 morrison.inv.  - 2 morrison.inv. and (synchroniz\$7 near6 (client adj2 (clock or time)))  - 2 morrison.inv. and (synchroniz\$7 near6 (synchroniz\$7 or align\$4)near6 ((clock or time)))  - 3 morrison.inv. and (synchroniz\$7 or align\$4)near6 ((clock or time)))  - 23 morrison.inv. and (server near6 (synchroniz\$7 or align\$4)near6 ((clock or time)))  - 3 (morrison.inv. and (server near6 (synchroniz\$7 or align\$4)near6 ((clock or time)))  - 3 (morrison.inv. and (server near6 (synchroniz\$7 or align\$4)near6 ((clock or time)))  - 120095 ((data or information)near6 (process\$4 or transfer\$4 or | -            | 6      | 6134531.uref.                            |                |            |
| - 6839 morrison.inv.  - 2 morrison.inv. and (synchroniz\$7 near6 (client adj2 (clock or time)))  - 63 morrison.inv. and (synchroniz\$7 or align\$4)near6 ((clock or time)))  - 7 morrison.inv. and (synchroniz\$7 or align\$4)near6 ((clock or time)))  - 8 morrison.inv. and (synchroniz\$7 or align\$4)near6 ((clock or time)))  - 9 morrison.inv. and (server near6 ( USPAT; IBM TDB USPAT; IBM T  |              |        |  | · ·            | 08:25      |
| - 6839 morrison.inv.  - 2 morrison.inv. and (synchroniz\$7 near6 (client adj2 (clock or time)))  - 63 morrison.inv. and ((synchroniz\$7 or align\$4)near6 ((clock or time)))  - 23 morrison.inv. and ((synchroniz\$7 or align\$4)near6 ((clock or time)))  - 23 morrison.inv. and (server near6 ( USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB (USPAT; US-PGPUB; EPO; JPO; JPO; JPO; DERWENT; IBM TDB (USPAT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J   |              |        |  |                |            |
| 2   2   2   2   2   2   2   2   2   2  |              |        |  |                |            |
| US-PGPUB;   EPG; JPG;   DERWENT;   IBM TDB   USPAT;   U   |              |        |  |                |            |
| 2   morrison.inv. and (synchroniz\$7 near6   Colent adj2 (clock or time))   Colent adj3 (clock or time))   Colent adj4 (clock or time))   Colent adj4 (clock or time))   Colent adj4 (clock or time))   Colent adj4 (clock or time))   Colent adj4 (clock or time))   Colent adj4 (clock or time))   Colent adj4 (time or clock))   Colent adj5 (clock or time)   Colent adj5 (clock)   | <del>-</del> | 6839   | morrison.inv.                            | -              |            |
| DERWENT; IMM TDB USPAT; US-FGPUB; EPO; JPO; DERWENT; IMM TDB USPAT; US-FGPUB; DB; DB; DB; DB; DB; DB; DB; DB; DB; D  |              |        |  |                | 08:26      |
| 2 morrison.inv. and (synchroniz\$7 near6   |              |        |  | 1              |            |
| 2   morrison.inv. and (synchroniz\$7 near6 (client adj2 (clock or time)))  |              |        |  |                |            |
| Cclient adj2 (clock or time))  |              |        |  | _              |            |
| - 63 morrison.inv. and ((synchroniz\$7 or align\$4)near6 ((clock or time})) USPAT; US-PGPUB; POPO, DERWENT; IBM TDB USPAT; (clock or time))) 08:29  - 23 morrison.inv. and (server near6 ( USPAT; US-PGPUB; POPO, POPO, DERWENT; IBM TDB USPAT; US-PGPUB; POPO, POPO, DERWENT; IBM TDB USPAT; US-PGPUB; POPO, POPO, DERWENT; IBM TDB USPAT; US-PGPUB; POPO, POPO, DERWENT; IBM TDB USPAT; US-PGPUB; POPO, POPO, DERWENT; IBM TDB USPAT; US-PGPUB; POPO, POPO, DERWENT; IBM TDB USPAT; US-PGPUB; POPO, POPO, DERWENT; IBM TDB USPAT; US-PGPUB; POPO, POPO, DERWENT; IBM TDB USPAT; US-PGPUB; POPO, POPO, DERWENT; IBM TDB USPAT; US-PGPUB; POPO, POPO, DERWENT; IBM TDB USPAT; US-PGPUB; POPO, POPO, DERWENT; IBM TDB USPAT; US-PGPUB; POPO, POPO, DERWENT; IBM TDB USPAT; US-PGPUB; POPO, PO   | -            | 2      |  | USPAT;         | 2004/10/19 |
| - 63 morrison.inv. and ((synchroniz\$7 or align\$4)near6 ((clock or time)))  - 23 morrison.inv. and (server near6 ( USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM  | į            |        | (client adj2 (clock or time)))           | US-PGPUB;      | 08:28      |
| - 63 morrison.inv. and ((synchroniz\$7 or align\$4)near6 ((clock or time)))  - 23 morrison.inv. and (server near6 (  |              |        |  | EPO; JPO;      |            |
| - 63 morrison.inv. and ((synchroniz\$7 or align\$4) near6 ( (clock or time)))  - 23 morrison.inv. and (server near6 ( USPAT; IBM TDB (SPO; JPO; DERWENT; IBM TDB USPAT; US-PCPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PCPUB; EPO; JPO; DERWENT; IBM TDB USPAT;  |              |        |  | DERWENT;       |            |
| align\$4\near6 ((clock or time))   |              |        |  | IBM_TDB        |            |
| align\$4\near6 ((clock or time))   | -            | 63     | morrison.inv. and ((synchroniz\$7 or     | USPAT;         | 2004/10/19 |
| - 23 morrison.inv. and (server near6 (   | 1            |        |  | US-PGPUB;      |            |
| - 23 morrison.inv. and (server near6 (   |              |        |  | EPO; JPO;      |            |
| - 23 morrison.inv. and (server near6 (   |              |        |  |                |            |
| - 23 morrison.inv. and (server near6 (   |              |        |  |                |            |
| Clock or time))  | _            | 23     | morrison.inv. and (server near6 (        |                | 2004/10/19 |
| - 33 (morrison.inv. and ((synchroniz\$7 or align\$4)near6 ((clock or time))) and (server near6 ((clock or time))) and (spart) and (server adj (time or clock))) and (server adj (time or clock))) and (synchroniz\$7 near6 (client adj (time or clock))) and (synchroniz\$7 near6 (client adj (time or clock))) and (synchroniz\$7 near6 (client adj (time or clock))) and (synchroniz\$7 near6 (client adj (time or clock))) and (synchroniz\$7 near6 (client adj (time or clock))) and (synchroniz\$7 near6 (client adj (time or clock))) and (synchroniz\$7 near6 (client adj (time or clock))) and (synchroniz\$7 near6 (client adj (time or clock))) and (synchroniz\$7 near6 (client adj (time or clock))) and (synchroniz\$7 near6 (client adj (time or clock))) and (synchroniz\$7 near6 (client adj (time or clock))) and (synchroniz\$7 near6 (client adj (time or clock))) and (synchroniz\$7 near6 (client adj (time or clock))) and (synchroniz\$7 near6 (client adj (time or clock))) and (synchroniz\$7 near6 (client adj (time or clock))) and (synchroniz\$7 near6 (client adj (time or clock)) and (syn  |              |        |  |                | 08:29      |
| - 3 (morrison.inv. and ((synchroniz\$7 or align\$\frac{1}{2}\] (clock or time))) and (server near6 ((clock or time))) and (server near6 ((clock or time))) and (server near6 ((clock or time)))  - 120095 ((data or information)near6 (process\$\frac{4}{2}\] or transfer\$\frac{4}{2}\] or transact\$\frac{4}{2}\] with (network or internet or on\$\frac{1}{2}\] implies (((data or information)near6 (process\$\frac{4}{2}\] or transact\$\frac{4}{2}\] with (network or internet or on\$\frac{1}{2}\] implies ((((data or information)near6 (process\$\frac{4}{2}\] or transact\$\frac{4}{2}\] or transact\$\frac{4}{2}\] or transact\$\frac{4}{2}\] with (network or internet or on\$\frac{1}{2}\] implies (((data or information)near6 (process\$\frac{4}{2}\] or transact\$\frac{4}{2}\] with (network or internet or on\$\frac{1}{2}\] implies (((data or information)near6 (process\$\frac{4}{2}\] or transfer\$\frac{4}{2}\] or transact\$\frac{4}{2}\] with (network or internet or on\$\frac{1}{2}\] implies (((data or information)near6 (process\$\frac{4}{2}\] or transfer\$\frac{4}{2}\] or transact\$\frac{4}{2}\] with (network or internet or on\$\frac{1}{2}\] implies (((data or information)near6 (process\$\frac{4}{2}\] or transfer\$\frac{4}{2}\] or transact\$\frac{4}{2}\] with (network or internet or on\$\frac{1}{2}\] implies (((data or information)near6 (process\$\frac{4}{2}\] us-PGPUB; (Us-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J   |              |        | (  |                |            |
| Server neare ( (clock or time))   and (server neare ( (clock or time)))   and (server neare ( (process\$4 or transfer\$4 or transfer\$4 or transfer\$4 or transfer\$4 or transfer\$4 or transact\$4)) with (network or internet or on\$1ine)   and (server adj (time or clock)))   and (server adj (time or clock))   and (server adj (time or clock   |              |        |  |                |            |
| 3  |              |        |  |                |            |
| align\$4) near6 ( (clock or time))) and (server near6 ( (clock or time))) and (server near6 ( (clock or time)))   EPO; JPO; JPO; DERWENT; TBM TDB (USPĀT; USPĀT; USPĢPUB; EPO; JPO; DERWENT; TBM TDB USPĀT; USPĀT; USPĀT; USPĀT; USPĢPUB; EPO; JPO; DERWENT; TBM TDB USPĀT; USPĀTP; USPĢPUB; EPO; JPO; DERWENT; TBM TDB USPĀT; USPĀTP; USPĢPUB; EPO; JPO; DERWENT; TBM TDB USPĀT; USPĀTP; USPĢPUB; EPO; JPO; DERWENT; TBM TDB USPĀT; USPĢPUB; USPĀT USPĢPUB; USPĀT USPĀT USPĀT USPĀT USPĀT USPĀT USPĀT USPĀT USPĀT USPĀT USPĀT USPĀT USPĀT USPĀT USPĀT USPĀT US  | _            | 3      | (morrison, inv. and ((synchroniz\$7 or   |                | 2004/10/19 |
| Server near6 ( (clock or time))  |              |        |  | · ·            |            |
| - 120095 ((data or information)near6 (process\$4   |              |        |  |                | ""         |
| Table  |              |        | (552752 115425 ( (525511 52 521115)))    |                |            |
| 120095   |              |        |  |                |            |
| or transfer\$4 or transact\$4))with (network or internet or on\$1ine)  6 ((((data or information)near6   DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB;   | _            | 120095 | ((data or information) near6 (process\$4 |                | 2004/10/19 |
| (network or internet or on\$line)  |              | 120033 |  | 1              |            |
| Comparison   Com   |              |        |  | -              | 10.02      |
| - 6 ((((data or information)near6 (process\$4 or transfer\$4 or or on\$1ine)) and (synchroniz\$7 near6 (client adj (time or clock))) and (server adj (time or clock))) and (synchroniz\$7 near6 (process\$4 or transfer\$4 or transact\$4))with (network or internet or on\$1ine)) and (synchroniz\$7 near6 (process\$4 or transfer\$4 or transact\$4))with (network or internet or on\$1ine)) and (synchroniz\$7 near6 (client adj (time or clock)))  - 45 (synchroniz\$7 near6 (client adj (time or clock)))  - 23 (synchroniz\$7 near6 (client adj (time or clock)))  - 13578 (updat\$4 or correct\$4 or adjust\$4 or synchrniz\$7) near6 ((local or client or system or reference) adj3 (clock or expert) JPO;  JBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USP  |              |        | (Medwork of Internet of ontification     |                |            |
| Comparison   Com   | i            |        |  |                |            |
| (process\$4 or transfer\$4 or transact\$4))with (network or internet or on\$1ine)) and (synchroniz\$7 near6 (client adj (time or clock)))  18 (((data or information)near6 (process\$4 or transfer\$4 or transact\$4))with (synchroniz\$7 near6 (client adj (time or clock)))  18 ((synchroniz\$7 near6 (client adj (time or clock)))  19 (synchroniz\$7 near6 (client adj (time or clock)))  10 (synchroniz\$7 near6 (client adj (time or clock)))  10 (synchroniz\$7 near6 (client adj (time or clock)))  11 (synchroniz\$7 near6 (client adj (time or clock)))  12 (synchroniz\$7 near6 (client adj (time or clock)))  13 (synchroniz\$7 near6 (client adj (time or clock)))  13 (synchroniz\$7 near6 (client adj (time or clock)))  13 (synchroniz\$7 near6 (client adj (time or clock)))  13 (synchroniz\$7 near6 (client adj (time or clock)))  13 (synchroniz\$7 near6 (client adj (time or clock)))  13 (synchroniz\$7 near6 (client adj (time or clock)))  13 (synchroniz\$7 near6 (client adj (time or synchroniz\$7))  13 (synchroniz\$7 near6 (client adj (time or synchroniz\$7)  14 (synchroniz\$7 near6 (client adj (time or synchroniz\$7)  15 (synchroniz\$7 near6 (client adj (time or synchroniz\$7)  16 (synchroniz\$7 near6 (client adj (time or synchroniz\$7)  17 (synchroniz\$7 near6 (client adj (time or synchroniz\$7)  18 (synchroniz\$7 near6 (client adj (time or synchroniz\$7)  19 (s  | _            | 6      | ////data or information\near6            | _              | 2004/10/19 |
| transact\$4))with (network or internet or on\$line)) and (synchroniz\$7 near6 (client adj (time or clock))) and (server adj (time or clock)))  18 (((data or information)near6 (process\$4 or transfer\$4 or transact\$4))with (network or internet or on\$line)) and (synchroniz\$7 near6 (client adj (time or clock)))  45 (synchroniz\$7 near6 (client adj (time or clock)))  (synchroniz\$7 near6 (client adj (time or clock)))  (synchroniz\$7 near6 (client adj (time or clock)))  (synchroniz\$7 near6 (client adj (time or clock)))  (synchroniz\$7 near6 (client adj (time or clock)))  (synchroniz\$7 near6 (client adj (time or clock)))  (synchroniz\$7 near6 (client adj (time or clock)))  (synchroniz\$7 near6 (client adj (time or clock)))  (synchroniz\$7 near6 (client adj (time or clock)))  (synchroniz\$7 near6 (client adj (time or clock))  (synchroniz\$7 near6 (client   |              | •      |  |                |            |
| or on\$line)) and (synchroniz\$7 near6 (client adj (time or clock))) and ( (server adj (time or clock)))  18 (((data or information)near6 (process\$4 or transfer\$4 or transact\$4))with (network or internet or on\$line)) and (synchroniz\$7 near6 (client adj (time or clock)))  45 (synchroniz\$7 near6 (client adj (time or clock)))  2004/10/19 09:09 EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGP   |              |        |  |                | 00.33      |
| <pre>client adj (time or clock))) and (     (server adj (time or clock)))  (((data or information)near6 (process\$4</pre>  |              |        | or onsline)) and (sunchronize? nears     |                |            |
| <pre> (server adj (time or clock)) (((data or information)near6 (process\$4</pre>  |              |        |  | · ·            |            |
| - 18 (((data or information)near6 (process\$4 or transfer\$4 or transact\$4))with (network or internet or on\$1ine)) and (synchroniz\$7 near6 (client adj (time or clock)))  - 45 (synchroniz\$7 near6 (client adj (time or clock)))  - 23 (synchroniz\$7 near6 (client adj (time or clock))) with server  - 13578 (updat\$4 or correct\$4 or adjust\$4 or synchrniz\$7)near6 ((local or client or system or reference)adj3 (clock or EPO; JPO; Dersuent; IBM_TDB uspAT; Us-PGPUB; EPO; JPO; DERWENT; IBM_TDB uspAT; Us-PGPUB; EPO; JPO;   |              |        |  | 1 1 DF1 _ 1 DB |            |
| or transfer\$4 or transact\$4))with (network or internet or on\$1ine)) and (synchroniz\$7 near6 (client adj (time or clock)))  45 (synchroniz\$7 near6 (client adj (time or clock)))  Capacital adj (time or clock))  23 (synchroniz\$7 near6 (client adj (time or clock))) with server  24 (synchroniz\$7 near6 (client adj (time or clock))) with server  25 (synchroniz\$7 near6 (client adj (time or clock))) with server  26 (updat\$4 or correct\$4 or adjust\$4 or synchrniz\$7) near6 ((local or client or system or reference) adj3 (clock or clock or clock) JPO;  27 (updat\$4 or correct\$4 or adjust\$4 or system or reference) adj3 (clock or client or system or reference) adj3 (clock or client or system or reference) adj3 (clock or client or system or client or system or reference) adj3 (clock or client or system or client or system or client or system or reference) adj3 (clock or client or system or client or system or client or system or client or system or client or system or client or system or client or system or client or system or client or client or system or client or client or system or client or system or client or system or client or client or client or system or client or client or system or client or client or system or client or c  | _            | 10     |  | IISDAT.        | 2004/10/19 |
| <pre>(network or internet or on\$line)) and (synchroniz\$7 near6 (client adj (time or clock))) (synchroniz\$7 near6 (client adj (time or clock))) (synchroniz\$7 near6 (client adj (time or clock)))  - 23 (synchroniz\$7 near6 (client adj (time or clock)))with server  24 (synchroniz\$7 near6 (client adj (time or clock)))with server  25 (synchroniz\$7 near6 (client adj (time or clock)))with server  26 (updat\$4 or correct\$4 or adjust\$4 or synchroniz\$7)near6 ((local or client or synchroniz\$7)near6 ((local or client or system or reference)adj3 (clock or  27 (updat\$4 or correct\$4 or adjust\$4 or synchroniz\$7)near6 ((local or client or system or reference)adj3 (clock or  27 (updat\$4 or correct\$4 or adjust\$4 or synchroniz\$7)near6 ((local or client or system or reference)adj3 (clock or  28 (updat\$4 or correct\$4 or adjust\$4 or synchroniz\$7)near6 ((local or client or system or reference)adj3 (clock or  29 (updat\$4 or correct\$4 or adjust\$4 or synchroniz\$7)near6 ((local or client or system or reference)adj3 (clock or  20 (updat\$4 or correct\$4 or adjust\$4 or synchroniz\$7 (updat\$4 or correct\$4 or adjust\$4 or synchroniz\$7 (updat\$4 or correct\$4 or adjust\$4 or synchroniz\$7 (updat\$4 or correct\$4 or adjust\$4 or synchroniz\$7 (updat\$4 or correct\$4 or adjust\$4 or synchroniz\$7 (updat\$4 or correct\$4 or adjust\$4 or synchroniz\$7 (updat\$4 or correct\$4 or adjust\$4 or synchroniz\$7 (updat\$4 or correct\$4 or adjust\$4 or synchroniz\$7 (updat\$4 or correct\$4 or adjust\$4 or synchroniz\$7 (updat\$4 or correct\$4 or adjust\$4 or synchroniz\$7 (updat\$4 or correct\$4 or adjust\$4 or synchroniz\$7 (updat\$4 or correct\$4 or adjust\$4 or synchroniz\$7 (updat\$4 or correct\$4 or adjust\$4 or synchroniz\$7 (updat\$4 or correct\$4 or adjust\$4 or synchroniz\$7 (updat\$4 or correct\$4 or adjust\$4 or synchroniz\$7 (updat\$4 or correct\$4 or adjust\$4 or synchroniz\$7 (updat\$4 or correct\$4 or adjust\$4 or synchroniz\$7 (updat\$4 or correct\$4 or adjust\$4 or synchroniz\$7 (updat\$4 or correct\$4 or adjust\$4 or updat\$4 /pre> |              | 10     |  |                |            |
| <pre>(synchroniz\$7 near6 (client adj (time or clock))) (synchroniz\$7 near6 (client adj (time or clock))) (synchroniz\$7 near6 (client adj (time or clock)))  - 23 (synchroniz\$7 near6 (client adj (time or clock)))with server  - 13578 (updat\$4 or correct\$4 or adjust\$4 or synchrniz\$7)near6 ((local or client or system or reference)adj3 (clock or synchroniz\$7)pe;</pre> 13578 (synchroniz\$7 near6 (client adj (time uspat; libm TDB uspat   |              |        |  |                | 03.03      |
| or clock))) (synchroniz\$7 near6 (client adj (time or clock)))  - 23 (synchroniz\$7 near6 (client adj (time or clock)))  |              |        |  |                |            |
| - 45 (synchroniz\$7 near6 (client adj (time or clock)))  - 23 (synchroniz\$7 near6 (client adj (time or clock))) with server  - 23 (synchroniz\$7 near6 (client adj (time or clock))) with server  - 13578 (updat\$4 or correct\$4 or adjust\$4 or synchrniz\$7) near6 ((local or client or system or reference) adj3 (clock or EPO; JPO; Derwent; system or reference) adj3 (clock or EPO; JPO; Derwent)  - 13578 (updat\$4 or correct\$4 or adjust\$4 or synchroniz\$7) near6 ((local or client or system or reference) adj3 (clock or EPO; JPO;   |              |        |  | 1              |            |
| or clock)))  - 23 (synchroniz\$7 near6 (client adj (time or clock)))with server  - 13578 (updat\$4 or correct\$4 or adjust\$4 or synchrniz\$7)near6 ((local or client or system or reference)adj3 (clock or us-pg-pub; per po; JPO; DERWENT; IBM_TDB uspart; US-pg-pub; per po; JPO; DERWENT; IBM_TDB uspart; per po; JPO; DERWENT; IBM_TDB uspart; per po; JPO; per po;   | <u>_</u>     | ΛE     |  |                | 2004/10/19 |
| - 23 (synchroniz\$7 near6 (client adj (time or clock))) with server US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; IBM_TDB USPAT;   | -            | 13     |  | 1              |            |
| - 23 (synchroniz\$7 near6 (client adj (time or clock))) with server USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; Synchrniz\$7) near6 ((local or client or system or reference) adj3 (clock or EPO; JPO;   |              |        | OI CIOCK) / /                            |                | 09.09      |
| - 23 (synchroniz\$7 near6 (client adj (time or clock))) with server US-PGPUB; EPO; JPO; DERWENT; IBM_TDB  - 13578 (updat\$4 or correct\$4 or adjust\$4 or synchrniz\$7)near6 ((local or client or system or reference)adj3 (clock or EPO; JPO;   |              |        |  |                |            |
| - 23 (synchroniz\$7 near6 (client adj (time or clock))) with server USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; Synchrniz\$7) near6 ((local or client or system or reference) adj3 (clock or EPO; JPO; USPAT)   |              |        |  | 1              |            |
| or clock)))with server  US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; Synchrniz\$7)near6 ((local or client or system or reference)adj3 (clock or EPO; JPO;   | _            | 22     | /symphronize7 nears /gliont add /time    | _              | 2004/10/19 |
| EPO; JPO; DERWENT; IBM_TDB  13578 (updat\$4 or correct\$4 or adjust\$4 or USPAT; 2004/10/19 synchrniz\$7)near6 ((local or client or us-PGPUB; system or reference)adj3 (clock or EPO; JPO;   | _            | 23     |  |                |            |
| - 13578 (updat\$4 or correct\$4 or adjust\$4 or USPAT; 2004/10/19 synchrniz\$7)near6 ((local or client or system or reference)adj3 (clock or EPO; JPO;   | ł            |        | or crock)))with server                   |                | 09.30      |
| - 13578 (updat\$4 or correct\$4 or adjust\$4 or Synchrniz\$7)near6 ((local or client or system or reference)adj3 (clock or EPO; JPO;   | 1            |        |  |                |            |
| - 13578 (updat\$4 or correct\$4 or adjust\$4 or USPAT; 2004/10/19 synchrniz\$7)near6 ((local or client or US-PGPUB; system or reference)adj3 (clock or EPO; JPO;   |              |        |  |                |            |
| synchrniz\$7)near6 ((local or client or US-PGPUB; 09:51 system or reference)adj3 (clock or EPO; JPO;   | }            | 10550  | /  | _              | 2004/20/20 |
| system or reference) adj3 (clock or EPO; JPO;  | _            | 135/8  |  |                |            |
|  |              |        |  |                | 03:21      |
| time))   DERWENT;  |              |        |  |                |            |
| The man  |              |        | time))                                   |                |            |
| IBM_TDB  | l            | L      |  | TRW_LDR        | <u> </u>   |

|   |        |   | r <del></del>  | 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 |
|---|--------|---|--|---|
| _ | 585    | ((updat\$4 or correct\$4 or adjust\$4 or synchrniz\$7)near6 ((local or client or system or reference)adj3 (clock or time))) same ((increment\$4 or count\$4 or decrement\$4) near3 ((local or client or system or reference)adj3 (clock or  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB            | 2004/10/19 09:34                        |
| _ | 333    | <pre>time))) ((updat\$4 or correct\$4 or adjust\$4 or synchrniz\$7)near6 ((local or client or system or reference)adj3 (clock or time))) same ((server or network)adj3</pre>  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;                       | 2004/10/19<br>09:35                     |
| - | 19     | <pre>(clock or time)) (((updat\$4 or correct\$4 or adjust\$4 or synchrniz\$7)near6 ((local or client or system or reference)adj3 (clock or time))) same ((increment\$4 or count\$4 or decrement\$4) near3 ((local or client or system or reference)adj3 (clock or</pre>                             | IBM_TDB<br>USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/10/19                              |
| _ | 4      | time)))) same ((server or network)adj3 (clock or time)) (((updat\$4 or correct\$4 or adjust\$4 or synchrniz\$7)near6 ((local or client or system or reference)adj3 (clock or time))) same ((increment\$4 or count\$4 or decrement\$4) near3 ((local or client or system or reference)adj3 (clock or | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB            | 2004/10/19<br>09:42                     |
| - | 12     | time)))) and (refresh adj counter) display\$4 near3 (refresh adj counter)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;                       | 2004/10/19 09:40                        |
|   | 8      | display\$4 adj3 (refresh adj counter)   | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB                | 2004/10/19<br>09:41                     |
| - | 2      | display\$4 adj (refresh adj counter)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB            | 2004/10/19<br>09:41                     |
| _ | 1      | <pre>((updat\$4 or correct\$4 or adjust\$4 or<br/>synchrniz\$7)near6 ((local or client or<br/>system or reference)adj3 (clock or<br/>time))) and (display\$4 near3 (refresh<br/>adj counter))</pre>   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB            | 2004/10/19 09:43                        |
| - | 22     | ((updat\$4 or correct\$4 or adjust\$4 or synchrniz\$7)near6 ((local or client or system or reference)adj3 (clock or time))) and (refresh adj counter)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB            | 2004/10/19 09:43                        |
| - | 3      | <pre>(updat\$4 or correct\$4 or adjust\$4 or<br/>synchrniz\$7)near6 ((local adj<br/>server)adj3 (clock or time))</pre>  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB            | 2004/10/19<br>09:52                     |
| _ | 215672 | <pre>((on\$line or network or internet)near6 (process\$4 or transfer\$4 or transact\$4 or auction\$4 or sel\$4 or commerce))</pre>  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB            | 2004/10/19<br>10:55                     |
|   | 1799   | <pre>((on\$line or network or internet)near6 (process\$4 or transfer\$4 or trad\$4 or transact\$4 or auction\$4 or sel\$4 or commerce))and (synchroniz\$7 with ((local or client or reference)near3 (clock or time)))</pre>   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB            | 2004/10/19<br>11:13                     |

|   |          |   |   | 000477077                         |
|---|----------|---|---|-----------------------------------|
| - | 3        | <pre>(((on\$line or network or internet)near6 (process\$4 or transfer\$4 or trad\$4 or transact\$4 or auction\$4 or sel\$4 or commerce))and (synchroniz\$7 with</pre>   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;            | 2004/10/19<br>11:28               |
|   |          | ((local or client or reference)near3<br>(clock or time)))) and (generat\$4 near4<br>(server adj (clock or time)))   | IBM_TDB   |                                   |
| - | 1        | <pre>(((on\$line or network or internet)near6 (process\$4 or transfer\$4 or trad\$4 or transact\$4 or auction\$4 or sel\$4 or commerce))and (synchroniz\$7 with ((local or client or reference)near3 (clock or time)))) and (refresh adj counter)</pre>   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/10/19<br>11:29               |
| _ | 53       | (server with (server adj clock)) and (client with (client adj clock))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2004/10/19<br>11:53               |
| _ | 49       | ((server with (server adj clock))and (client with (client adj clock))) and synchroniz\$7  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2004/10/19<br>11:30               |
| _ | 28       | (((server with (server adj clock))and (client with (client adj clock))) and synchroniz\$7) and counter  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2004/10/19<br>11:31               |
| _ | 14       | <pre>((((server with (server adj clock))and (client with (client adj clock))) and synchroniz\$7) and counter) and (display\$4 near6 (time or clock))</pre>  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2004/10/19<br>11:31               |
| _ | 10       | <pre>(server with (server adj clock))with ((synchroniz\$7 or align\$4)near6 (client with (client adj clock)))</pre>   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/10/19<br>12:58               |
| _ | 1        | 10/613319 and harrington  | USPAT;<br>US-PGPUB                                      | 2004/10/20<br>07:39               |
| _ | 0        | 10/759105 and dorr  | USPAT;<br>US-PGPUB                                      | 2004/10/20<br>07:39               |
| - | 1        | 09/759105 and dorr  | USPAT;<br>US-PGPUB                                      | 2004/10/20<br>07:52               |
|   | 1<br>243 | 09/818729 and abeshouse   | USPAT;<br>US-PGPUB                                      | 2004/10/20<br>07:56<br>2004/10/20 |
| - |          | <pre>((on\$line or network\$4 or internet or<br/>real\$time)near4 (sel\$4 or auction\$4 or<br/>bid\$4 or access\$4))same ((sync\$9 or<br/>align\$4 or adjust\$4 or comput\$6 or<br/>calculat\$4)with ((local or reference or<br/>client or bidder or agent)near3 (clock<br/>or time)))</pre>                        | USPAT;<br>US-PGPUB;<br>IBM_TDB                          | 09:52                             |
| - | 17       | <pre>(((on\$line or network\$4 or internet or real\$time)near4 (sel\$4 or auction\$4 or bid\$4 or access\$4))same ((sync\$9 or align\$4 or adjust\$4 or comput\$6 or calculat\$4)with ((local or reference or client or bidder or agent)near3 (clock or time)))) same ((server or host)near3 (time or clock))</pre> | USPAT;<br>US-PGPUB;<br>IBM_TDB                          | 2004/10/20                        |
| - | 6        | 6023769.uref.   | USPAT;<br>US-PGPUB;                                     | 2004/10/20<br>09:47               |
| _ | 3        | 6192007.uref.   | IBM_TDB<br>USPAT;<br>US-PGPUB;<br>IBM TDB               | 2004/10/20<br>09:47               |

| -   | 275 | ((on\$line or network\$4 or internet or  | USPAT;              | 2004/10/20 |
|-----|-----|--|---------------------|------------|
|     |     | real\$time)near4 (sel\$4 or auction\$4 or  | US-PGPUB;           | 09:55      |
|     |     | bid\$4 or access\$4))same ((sync\$9 or   | EPO; JPO;           | İ          |
|     |     | align\$4 or adjust\$4 or comput\$6 or  | DERWENT;            |            |
|     |     | calculat\$4) with ((local or reference or  | IBM_TDB             |            |
|     |     | client or bidder or agent) near3 (clock  |                     |            |
|     | _   | or time)))   | ******              | 2004/10/20 |
| -   | 0   | (((on\$line or network\$4 or internet or   | USPAT;              | 2004/10/20 |
|     |     | real\$time)near4 (sel\$4 or auction\$4 or  | US-PGPUB;           | 09:55      |
|     |     | bid\$4 or access\$4))same ((sync\$9 or   | EPO; JPO;           |            |
|     |     | align\$4 or adjust\$4 or comput\$6 or  | DERWENT;            |            |
|     |     | calculat\$4) with ((local or reference or  | IBM_TDB             |            |
|     |     | client or bidder or agent) near3 (clock  |                     |            |
|     |     | or time)))) and (refresh adj (timer or counter))                                 |                     |            |
|     | 0   | (((on\$line or network\$4 or internet or   | USPAT;              | 2004/10/20 |
| -   | "   |  | US-PGPUB;           | 09:56      |
|     |     | real\$time)near4 (sel\$4 or auction\$4 or bid\$4 or access\$4))same ((sync\$9 or | EPO; JPO;           | 09.50      |
|     |     | align\$4 or adjust\$4 or comput\$6 or  | DERWENT;            |            |
| ľ   |     | calculat\$4)with ((local or reference or   | IBM TDB             |            |
|     |     | client or bidder or agent) near3 (clock  | 1011_100            |            |
| 1   | ĺ   | or time)))) and (6058417.pn.)  |                     |            |
| _   | 2   | 6058417.pn.  | USPAT;              | 2004/10/20 |
| ~   |     | 0000±1,•bii.   | US-PGPUB;           | 11:51      |
| [   | [   |  | EPO; JPO;           |            |
|     |     |  | DERWENT;            |            |
|     |     |  | IBM TDB             |            |
| _   | 2   | 5465277.pn.  | USPAT;              | 2004/10/20 |
|     |     | 5405277.p.m.   | US-PGPUB;           | 09:58      |
| 1   |     |  | EPO; JPO;           |            |
| 1   |     |  | DERWENT;            |            |
| 1   | 1   |  | IBM TDB             |            |
| -   | 2   | 6141008.pn.  | USPAT;              | 2004/10/20 |
|     |     | •  | US-PGPUB;           | 09:59      |
| 1   |     |  | EPO; JPO;           |            |
|     |     |  | DERWENT;            |            |
|     |     |  | IBM TDB             |            |
| -   | 2   | 6412021.pn.  | USPAT;              | 2004/10/20 |
|     |     |  | US-PGPUB;           | 10:00      |
|     |     |  | EPO; JPO;           |            |
| [   |     |  | DERWENT;            |            |
|     |     |  | IBM_TDB             |            |
| -   | 3   | 6415270.pn.  | USPAT;              | 2004/10/20 |
|     |     |  | US-PGPUB;           | 10:02      |
|     |     |  | EPO; JPO;           |            |
|     | 1   |  | DERWENT;            |            |
|     | -   | CA150705   | IBM_TDB             | 2004/10/22 |
| _   | 1   | 6415270.uref.  | USPAT;              | 2004/10/20 |
|     |     |  | US-PGPUB;           | 10:02      |
|     | 1   |  | EPO; JPO;           |            |
| ]   | [   |  | DERWENT;            |            |
| l _ | 0   | //time or clock\noar?  | IBM_TDB<br>USPAT;   | 2004/10/20 |
| _   |     | ((time or clock)near3 sysnchronization)adj6 (computer near2                      | USPAT;<br>US-PGPUB; | 11:53      |
|     |     | network)   | EPO; JPO;           | 11.33      |
|     | 1   | IIECWOIK)  | DERWENT;            |            |
|     |     |  | IBM TDB             |            |
| l _ | 0   | (((time or clock)near3   | USPAT;              | 2004/10/20 |
| 1   | 1   | synchronization)adj6 (computer near2   | US-PGPUB;           | 11:54      |
|     | 1   | network)) and (display near4 ((data or   | EPO; JPO;           |            |
| [   | [   | information) with (clock or time)))  | DERWENT;            |            |
| 1   | 1   |  | IBM TDB             |            |
| _   | 1   | (((time or clock)near3   | USPAT;              | 2004/10/20 |
| ]   | *   | synchronization)adj6 (computer near2   | US-PGPUB;           | 11:54      |
| 1   |     | network)) and (display same ((data or  | EPO; JPO;           |            |
| 1   |     | information) with (clock or time)))  | DERWENT;            |            |
| 1   |     |  | IBM TDB             |            |

| _ | 30 | ((time or clock)near3<br>synchronization)adj6 (computer near2<br>network) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT; | 2004/10/20<br>11:56 |
|---|----|---|--|---------------------|
|   |    |   | IBM TDB                                      |                     |

|   | Туре | L# | Hits  | Search Text  | DBs | Time Stamp          |
|---|------|----|-------|--|-----|---------------------|
| 1 | BRS  | L4 | 27192 | 705/\$.ccls.   |     | 2004/10/20<br>13:38 |
| 2 | BRS  | L5 | 26    | 14 and (((on\$line or<br>network\$4 or internet or<br>real\$time)near4 (sel\$4 or<br>auction\$4 or bid\$4 or<br>access\$4))same ((sync\$9 or<br>align\$4 or adjust\$4 or<br>comput\$6 or calculat\$4)with<br>((local or reference or<br>client or bidder or<br>agent)near3 (clock or<br>time)))) |     | 2004/10/20<br>13:42 |